

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARATHON, ON
P0T 2E0

Page Number : 1-B
Total Pages : 1
Certificate Date: 09-MAY-98
Invoice No. : 19818358
P.O. Number :
Account : KBS

Project: RECON
Comments: ATTN: BRIAN FOWLER


CERTIFICATE OF ANALYSIS

A9818358

SAMPLE	PREP CODE	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
98-01	255 295	0.48	80	2	0.01	82	270	8	2	7	3	0.03	< 10	< 10	68	< 10	1.6
98-02	255 295	< 0.01	15	5330	< 0.01	3	10	22	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	6
98-03	255 295	< 0.01	15	>10000	< 0.01	< 1	480	46	< 2	< 1	< 1	< 0.01	< 10	< 10	< 1	< 10	< 2

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARRATHON, ON
POT 2E0
Project: RECON
Comments: ATTN: BRAIN FOWLER


Page Number : 1
Total Pages : 1
Certificate Date: 18-MAY-98
Invoice No. : 19818906
P.O. Number :
Account : KBS

CERTIFICATE OF ANALYSIS A9818906

SAMPLE	PREP CODE	MO %								
98-03	244 --	2.850								

OVERLIMITS from A9818358

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
 P.O. BOX 962
 MARRATHON, ON
 P0T 2E0


Project: RECON
 Comments: ATTN: BRAIN FOWLER

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 18-MAY-98
 Invoice No. : 19818829
 P.O. Number :
 Account : KBS

CERTIFICATE OF ANALYSIS A9818829

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
98-05	255 295	1.50	370	4	0.05	134	1440	< 2	< 2	5	25	0.18	< 10	< 10	126	< 10	74
98-06	255 295	0.65	505	4	0.01	49	970	180	< 2	6	10	0.09	< 10	< 10	85	< 10	560
98-07	255 295	0.85	1085	4	0.01	82	1200	10	< 2	8	8	0.14	< 10	< 10	94	< 10	280
98-08	255 295	0.04	70	15	0.01	12	80	1270	< 2	< 1	6	0.01	< 10	< 10	4	10	>10000
98-09	255 295	0.87	1015	4	0.01	86	560	72	< 2	7	2	0.12	< 10	< 10	69	< 10	694
98-10	255 295	1.01	430	83	0.01	47	360	24	< 2	3	5	0.01	< 10	< 10	96	< 10	144
98-11	255 295	0.24	160	4690	0.06	6	40	8	< 2	1	9	0.02	< 10	< 10	6	< 10	62
98-12	255 295	0.23	225	7640	0.04	31	2190	10	< 2	1	28	0.01	< 10	< 10	4	< 10	250

CERTIFICATION: Handwritten Signature *



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARTINDALE, ON
P0T 2E0
Project: RECON
Comments: ATTN: BRIAN FOWLER

Page Number : 1
Total Pages : 1
Certificate Date: 20-MAY-98
Invoice No. : 19819358
P.O. Number :
Account : KBS

CERTIFICATE OF ANALYSIS

A9819358

SAMPLE	PREP CODE	Zn %								
98-08	244 --	2.70								

CERTIFICATION:

Sara Shepard



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARRATHON, ON
POT 2E0
Project: RECON
Comments: ATTN: BRIAN FOWLER

Page Number : 1-A
Total Pages : 1
Certificate Date: 02-JUN-98
Invoice No. : 19820197
P.O. Number :
Account : KBS

CERTIFICATE OF ANALYSIS A9820197

SAMPLE	PREP CODE	Au ppb		Pt ppb		Pd ppb		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
		AFS	AFS	AFS	AFS	AFS	AFS																
98-13	255 295	18	< 5	< 2	< 0.2	1.66	4	50	< 0.5	2	2.52	< 0.5	97	138	143	11.90	< 10	< 1	0.01	10			
98-14	255 295	28	< 10	8	0.2	1.43	4	60	< 0.5	2	3.93	< 0.5	53	80	1605	>15.00	10	< 1	0.05	< 10			
98-15	255 295	8	< 5	< 2	< 0.2	1.30	< 2	60	< 0.5	2	2.27	< 0.5	47	78	94	>15.00	10	< 1	0.03	< 10			
98-16	255 295	8	< 5	< 2	0.2	2.33	10	50	0.5	2	1.79	< 0.5	16	72	426	11.70	10	< 1	0.30	10			
98-18	255 295	16	< 10	4	1.2	0.26	6	20	< 0.5	8	0.78	23.0	12	214	6870	2.18	< 10	1	0.13	< 10			

CERTIFICATION: *Frank Biello* *



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
 P.O. BOX 962
 MARRATHON, ON
 P0T 2E0
 Project: RECON
 Comments: ATTN: BRIAN FOWLER


Page Number : 1-B
 Total Pages : 1
 Certificate Date: 02-JUN-98
 Invoice No. : 19820197
 P.O. Number :
 Account : KBS

CERTIFICATE OF ANALYSIS A9820197

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
98-13	255 295	0.10	320	472	< 0.01	60	400	< 2	2	4	620	0.22	< 10	< 10	43	< 10	< 2
98-14	255 295	0.17	565	463	0.01	73	310	6	2	1	410	0.14	< 10	< 10	42	< 10	8
98-15	255 295	0.23	410	285	0.01	27	290	< 2	2	1	389	0.11	< 10	< 10	38	< 10	2
98-16	255 295	0.88	1440	81	0.15	28	480	2	< 2	4	64	0.16	< 10	< 10	56	10	76
98-18	255 295	0.04	85	28	< 0.01	12	170	26	< 2	1	12	< 0.01	< 10	< 10	11	10	>10000

CERTIFICATION:

Frank Biello



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MAPATHON, ON
P0T 2E0
Project: RECON
Comments: ATTN: BRIAN FOWLER

Page Number : 1
Total Pages : 1
Certificate Date: 04-JUN-98
Invoice No. : 19820748
P.O. Number :
Account : KBS


CERTIFICATE OF ANALYSIS

A9820748

SAMPLE	PREP CODE	Zn %									
98-18	244 --	1.17									

OVERLIMITS from A9820197

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARRATHON, ON
POT 2E0

Project: OWL LAKE
Comments: ATTN: BRIAN FOWLER CC: ROD BARBER

Page Number : 1-A
Total Pages : 1
Certificate Date: 10-SEP-1998
Invoice No. : 19829995
P.O. Number :
Account : KBS

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9829995

SAMPLE	PREP CODE	Au ppb		Pt ppb		Pd ppb		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
		AFS	AFS	AFS	AFS																		
98-43	205 226	8	< 5	< 5	< 2	< 0.2	1.42	12	< 10	< 0.5	< 2	0.43	< 0.5	105	103	172	>15.00	< 10	< 1	< 0.01	< 10		
98-44	205 226	< 2	< 5	< 5	< 2	< 0.2	0.57	< 2	< 10	< 0.5	< 2	0.06	< 0.5	6	260	1750	1.63	< 10	< 1	0.07	< 10		
98-45	205 226	4	< 5	< 5	< 2	< 0.2	0.18	< 2	10	< 0.5	2	0.01	< 0.5	22	143	20	4.31	< 10	< 1	0.12	< 10		
98-46	205 226	< 2	< 5	< 5	< 2	< 0.6	2.80	< 2	20	< 0.5	< 2	0.13	< 0.5	21	179	3140	5.92	10	< 1	0.05	< 10		
98-47	205 226	< 2	< 5	< 5	< 2	1.2	0.32	< 2	10	< 0.5	< 2	0.03	< 0.5	6	193	7520	1.81	< 10	< 1	0.08	< 10		
98-48	205 226	14	< 5	< 5	< 2	0.2	1.95	14	< 10	< 0.5	8	0.09	< 0.5	24	85	158	>15.00	< 10	< 1	0.01	< 10		
98-49	205 226	20	< 5	< 5	< 2	0.6	0.61	18	< 10	< 0.5	6	0.10	< 0.5	26	133	182	11.25	< 10	< 1	< 0.01	< 10		
98-50	205 226	< 2	< 5	< 5	< 2	< 0.2	0.14	< 2	10	< 0.5	Intf*	0.18	< 0.5	4	211	>10000	2.12	< 10	< 1	0.03	< 10		
98-51	205 226	22	< 5	< 5	< 2	0.17	0.17	12	10	< 0.5	Intf*	0.01	< 0.5	56	133	>10000	9.06	< 10	< 1	0.03	< 10		
98-52	205 226	< 4	< 10	< 10	< 4	< 0.2	3.26	8	< 10	< 0.5	< 2	0.23	< 0.5	8	85	333	>15.00	< 10	< 1	< 0.01	< 10		
ORRB-1	205 226	< 2	< 5	< 5	< 2	0.2	2.84	20	30	0.5	< 2	1.91	< 0.5	20	93	178	5.41	< 10	< 1	0.20	10		
ORRB-2	205 226	< 2	< 5	< 5	< 2	0.2	0.90	2	10	< 0.5	< 2	0.99	< 0.5	12	107	42	2.86	< 10	< 1	0.13	30		
ORRB-3	205 226	6	< 5	< 5	< 2	0.2	1.05	16	10	< 0.5	< 2	0.64	< 0.5	85	89	35	>15.00	< 10	< 1	0.40	< 10		
ORRB-4	205 226	< 2	< 5	< 5	< 2	0.2	0.74	< 2	90	< 0.5	< 2	0.62	< 0.5	27	58	27	3.41	< 10	< 1	0.14	10		
ORRB-5	205 226	< 2	< 5	< 5	< 2	0.2	0.69	< 2	70	< 0.5	< 2	0.63	< 0.5	18	51	19	6.02	< 10	< 1	0.18	10		
ORRB-6	205 226	< 2	< 5	< 5	< 2	1.0	0.90	< 2	20	< 0.5	< 2	0.45	< 0.5	27	114	49	4.91	< 10	< 1	0.20	10		
ORRB-7	205 226	< 2	< 5	< 5	< 2	0.2	2.27	44	20	< 0.5	< 2	2.06	< 0.5	17	101	15	3.79	< 10	< 1	0.13	10		
ORRB-8	205 226	< 2	< 5	< 5	< 2	0.2	0.52	4	40	< 0.5	< 2	0.35	< 0.5	12	82	12	4.01	< 10	< 1	0.10	10		
ORRB-9	205 226	< 2	< 5	< 5	< 2	0.2	0.36	< 2	40	< 0.5	< 2	0.24	< 0.5	< 1	121	8	3.42	< 10	< 1	0.23	10		
ORRB-10	205 226	< 2	< 5	< 5	< 2	0.2	1.24	2	30	< 0.5	< 2	0.32	< 0.5	11	99	21	2.36	< 10	< 1	0.18	10		

* INTERFERENCE: Cu on Bi and P

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARATHON, ON
P0T 2E0

Project: OWL LAKE
Comments: ATTN: BRIAN FOWLER CC: ROD BARBER

Page Number : 1-B
Total Pages : 1
Certificate Date: 10-SEP-1998
Invoice No. : 19829995
P.O. Number :
Account : KBS

* PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9829995


SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Si ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
98-43	205 226	0.93	250	15	0.01	198	710	< 2	< 2	4	16	0.20	< 10	< 10	70	< 10	46
98-44	205 226	0.42	125	12	< 0.01	21	190	210	18	1	2	0.01	< 10	< 10	21	< 10	16
98-45	205 226	0.03	20	33	< 0.01	25	70	4	< 2	< 1	2	< 0.01	< 10	< 10	9	< 10	2
98-46	205 226	2.14	520	4	< 0.01	51	220	4	< 2	10	4	0.03	< 10	< 10	112	< 10	96
98-47	205 226	0.17	60	6	0.01	13	160	4	< 2	1	3	< 0.01	< 10	< 10	14	< 10	< 2
98-48	205 226	0.92	550	9	< 0.01	121	410	< 2	< 2	4	2	< 0.01	< 10	< 10	77	< 10	74
98-49	205 226	0.33	170	61	0.01	92	180	20	< 2	1	3	< 0.01	< 10	< 10	42	< 10	30
98-50	205 226	0.07	80	5	0.01	8	Intr*	8	< 2	< 1	5	< 0.01	< 10	< 10	8	< 10	10
98-51	205 226	0.08	30	28	0.02	64	Intr*	24	< 2	2	3	< 0.01	< 10	< 10	19	< 10	22
98-52	205 226	1.03	1350	3	< 0.01	129	600	< 2	< 2	7	4	0.10	< 10	< 10	62	< 10	140
OLRB-1	205 226	0.91	905	68	< 0.01	42	1410	174	< 2	5	46	< 0.01	< 10	< 10	80	< 10	374
OLRB-2	205 226	0.76	230	1	0.07	29	2020	< 2	< 2	4	50	0.12	< 10	< 10	49	< 10	76
OLRB-3	205 226	0.67	220	3	0.04	44	1040	< 2	< 2	4	11	0.12	< 10	< 10	89	< 10	492
OLRB-4	205 226	0.34	115	1	0.08	40	1420	< 2	< 2	3	43	0.08	< 10	< 10	48	< 10	112
OLRB-5	205 226	0.17	115	< 1	0.06	20	1270	< 2	< 2	1	68	0.19	< 10	< 10	43	< 10	16
OLRB-6	205 226	0.46	255	1	0.04	54	820	< 2	< 2	10	14	0.31	< 10	< 10	112	< 10	68
OLRB-7	205 226	0.74	545	1	0.11	42	1480	4	< 2	6	98	0.27	< 10	< 10	84	< 10	68
OLRB-8	205 226	0.18	90	< 1	0.10	16	1360	< 2	< 2	2	48	0.04	< 10	< 10	48	< 10	18
OLRB-9	205 226	0.13	115	1	0.03	6	310	< 2	< 2	6	17	0.47	< 10	< 10	122	< 10	8
OLRB-10	205 226	0.67	355	< 1	0.04	15	580	24	< 2	5	15	0.09	< 10	< 10	50	< 10	230

* INTERFERENCE: Cu on Bi and P

CERTIFICATION:

[Handwritten Signature]

*+



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARRATHON, ON
P0T 2E0

Project: OWL LAKE
Comments: ATTN: BRIAN FOWLER CC: ROD BARBER

Page Number : 1
Total Pages : 1
Certificate Date: 15-SEP-1998
Invoice No. : 19830690
P.O. Number :
Account : KBS


CERTIFICATE OF ANALYSIS

A9830690

SAMPLE	PREP CODE	Cu %	Fe % tot.dig						
98-43	244	---	23.9						
98-48	244	---	19.00						
98-50	244	1.35	---						
98-51	244	6.05	---						
98-52	244	---	25.2						
OLRB-3	244	---	19.30						

CERTIFICATION:

Sara Lemay



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
P.O. BOX 962
MARATHON, ON
P0T 2E0
Project: RECON
Comments: ATTN: BRIAN FOWLER


CERTIFICATE OF ANALYSIS

A9830610

Page Number : 1-A
Total Pages : 1
Certificate Date: 18-SEP-1998
Invoice No. : 19830610
P.O. Number :
Account : KBS

SAMPLE	PREP CODE	Au ppb		Pt ppb		Pd ppb		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
		AFS	AFS	AFS	AFS	AFS	AFS																
98-53	205 226	< 2	< 5	< 2	< 0.2	< 0.2	2.14	2	20	< 0.5	< 2	0.28	< 0.5	8	31	4	5.14	10	< 1	< 1	0.13	< 10	
98-54	205 226	< 2	< 5	< 2	< 0.2	0.71	2	10	< 0.5	< 2	0.63	< 0.5	8	55	30	1.73	< 10	< 1	< 1	0.04	< 10		
98-55	205 226	< 2	< 5	< 2	< 0.2	0.74	2	10	< 0.5	2	0.75	< 0.5	9	28	112	3.94	< 10	< 1	< 1	0.03	< 10		
98-56	205 226	< 2	< 5	< 2	< 0.2	1.09	< 2	< 10	< 0.5	< 2	1.39	< 0.5	12	44	100	4.75	< 10	< 1	< 1	0.03	10		
98-57	205 226	< 2	< 5	< 2	< 0.2	0.46	< 2	20	12.0	< 2	0.25	< 0.5	11	66	35	3.35	< 10	< 1	< 1	0.13	70		
98-58	205 226	8	< 5	< 2	0.8	2.49	< 12	10	< 0.5	8	0.49	0.5	668	27	722	>15.00	10	< 1	< 1	0.01	< 10		
98-59	205 226	8	< 5	< 2	0.2	2.18	< 2	20	1.0	< 2	1.74	< 0.5	20	26	170	4.02	< 10	< 1	< 1	0.15	< 10		
98-60	205 226	< 2	< 5	< 2	0.2	1.89	2	10	< 0.5	< 2	2.05	< 0.5	34	31	159	4.60	< 10	< 1	< 1	0.12	< 10		

CERTIFICATION: *Handwritten Signature*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: FOWLER, BRIAN
 P.O. BOX 962
 MARATHON, ON
 POT 2E0
 Project: RECON
 Comments: ATTN: BRIAN FOWLER

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 18-SEP-1998
 Invoice No. : 19830610
 P.O. Number :
 Account : KBS

CERTIFICATE OF ANALYSIS A9830610

SAMPLE	PREP CODE	Mg %	Mn ppm	Ko ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	TI %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
98-53	205 226	1.20	665	1	0.05	< 1	580	< 2	< 2	6	9	0.08	< 10	< 10	22	< 10	72
98-54	205 226	0.44	170	2	0.06	16	550	< 2	< 2	1	12	0.09	< 10	< 10	20	130	16
98-55	205 226	0.32	145	2	0.07	18	760	< 2	< 2	2	19	0.13	< 10	< 10	23	< 10	12
98-56	205 226	0.82	300	1	0.08	34	1680	< 2	< 2	6	17	0.23	< 10	< 10	50	< 10	30
98-57	205 226	0.08	85	3	0.03	3	60	< 2	< 2	< 1	6	< 0.01	< 10	< 10	8	< 10	8
98-58	205 226	1.08	600	1	< 0.01	87	680	< 2	< 2	12	62	0.19	< 10	< 10	130	< 10	44
98-59	205 226	1.12	435	11	0.10	14	1560	< 2	< 2	7	40	0.22	< 10	< 10	69	< 10	52
98-60	205 226	1.24	395	7	0.11	55	170	< 2	< 2	9	16	0.34	< 10	< 10	165	< 10	40

CERTIFICATION: *[Signature]*